J. vet. Pharmacol. Therap. **11**, 421–424, 1988.

Author Index

Al-Eknah, M.M. & Noakes, D.E. The biphasic effect of clenbuterol hydrochloride on uterine activity of ovariectomized ewes, 109
Allen, W.E. *see* Pycock, J.F.
Alvinerie, M. *see* Toutain, P.L.
Anthony Brown, S. & Garry, F.B. Comparison of serum and renal gentamicin concentrations with fractional urinary excretion tests as indicators of nephrotoxicity, 330
Ash, K.A. *see* Folz, S.D.

Baggot, J.D., Wilson, W.D. & Hietala, S. Clinical pharmacokinetics of metronidazole in horses, 417
Barker, S.A. *see* Short, C.R.
Bednarski, L.S. *see* Hamlin, R.L.
Beech, J. *see* Sweeney, R.W.
Beerens, D. *see* De Coster, R.
Belkhiri, M. *see* Nicholson, T.
Belpaire, F.M. *see* Dello, C.P.
Bennett, J.L. *see* Folz, S.D.
Benson, C. *see* Sweeney, R.W.
Black, W.D. *see* Ogunbiyi, P.O.
Bogan, J.A. *see* Kinabo, L.D.B.
Bogan, J.A. & McKellar, Q.A. The pharmacodynamics of ivermectin in sheep and cattle, 260
Borchard, R.E. *see* Hanna, R.M.
Bourne, F.J. *see* Watson, E.D.
Boyd, E.H. *see* Pycock, J.F.
Brewer, B.D., Clement, S.F., Lotz, W.S. & Gronwall, R. Single injection inulin/PAH method for the determination of renal clearances in adult horses and ponies, 409

Campan, M. *see* Toutain, P.L.
Caprille, K.A. The cephalosporin antimicrobial agents: a comprehensive review, 1
Capua, C. *see* Pompa, G.
Clement, S.F. *see* Brewer, B.D.
Cohen, R.B. *see* Hamlin, R.L.
Collatos, C. *see* Sweeney, R.W.
Collins, K.R. *see* Rowlands, D. ap T.
Conder, G.A. *see* Folz, S.D.

De Coster, R., Wouters, W., Beerens, D., Haelterman, C., Doolaege, R., Goeminne, N. & Krekels, M. Comparative effects of etomidate and its fluoro analogue, R8110 on testicular, adrenal and ovarian steroid biosynthesis, 345
Degen, M. *see* Nouws, J.F.M.
Degryse, A.-D. *see* Monbaliu, J.
Dello, C.P., Belpaire, F.M., De Rick, A. & Fraeyman, N.H. Influence of inflammation of serum concentration, molecular heterogeneity and drug binding properties of canine alpha-1-acid glycoprotein, 71
De Rick, A. *see* Dello, C.P.
DeRoth, L. & Nadeau, S. Effects of halothane on the mechanical responses *in vitro* of coronary arterial rings of malignant hyperthermia susceptible swine, 402
Dhem, A.R. *see* Gustin, P.
Di Lauro, F.M. *see* Pompa, G.
Divers, T.J. *see* Sweeney, R.W.
Doolaege, R. *see* De Coster, R.
Dorrestein, G.M. & van Miert, A.S.J.P.A.M. Pharmacotherapeutic aspects of medication of birds, 33
van Duin, C.T.M. *see* Knoppert, N.W.

Eyre, P. *see* Ogunbiyi, P.O.

Fadini, L. *see* Pompa, G.
Firth, E.C., Klein, W.R., Nouws, J.F.M. & Wensing, Th. Effect of induced synovial inflammation on pharmacokinetics and synovial concentration of sodium ampicillin and kanamycin sulfate after systemic administration in ponies, 56
Flory, W. *see* Short, C.R.
Folz, S.D., Pax, R.A., Klei, T.R., Thomas, E.M., Ash, K.A., Conder, G.A. & Bennett, J.L. Development of a novel *in vitro* equine anthelminthic assay, 177
Fraeyman, N.H. *see* Dello, C.P.
Frazier, D.L. *see* Riviere, J.E.

Galtier, P. *see* Toutain, P.L.
Garry, F.B. *see* Anthony Brown, S.
Gerhards, H. & Kietzmann, M. Dose-dependent plasma elimination of sub-

cutaneously administered calcium heparin in horses, 77
Gerken, D.F. & Sams, R.A. Pharmacokinetics of oxyphenbutazone in horses, 283
Gerring, E.L. *see* King, J.N.
van Gogh, H. *see* Knoppert, N.W.
van Gogh, H. *see* Nouws, J.F.M.
Goeminne, N. *see* De Coster, R.
Greene, S.A. & Thurmon, J.C. Xylazine — a review of its pharmacology and use in veterinary medicine, 295
Gronwall, R. *see* Brewer, B.D.
Guillot, P. *see* Sanders, P.
Gustin, P., Dhem, A.R., Lekeux, P., Lomba, F., Lándsér, F.J. & Van de Woestijne, K.P. Investigations of the effects of histamine inhalation on the tracheobronchial tree of calves by the forced oscillation technique, 374

Haelterman, C. *see* De Coster, R.
Halliwell, R.E.W. *see* Yanni, J.M.
Hamlin, R.L., Bednarski, L.S., Schuler, C.J., Weldy, P.L. & Cohen, R.B. Method of objective assessment of analgesia in the dog, 215
Hanna, R.M., Borchard, R.E. & Schmidt, S. Pharmacokinetics of ketamine HCl and metabolite I in the cat: a comparison of i.v., i.m. and rectal administration, 84
Hanna, R.M., Borchard, R.E. & Schmidt, S.L. Plasma protein binding of ketamine and metabolite I in the cat, 115
Hanna, R.M., Borchard, R.E. & Schmidt, S.L. Effects of diuretics on ketamine and sulfanilate elimination in cats, 121
Hedde, R.D. *see* Zavy, M.T.
Heykants, J. *see* Monbaliu, J.
Hietala, S. *see* Baggot, J.D.
Hinton, M. Salmonella colonization in young chickens given feed supplemented with the growth promoting antibiotic avilamycin, 269
Hsieh, L.C. *see* Short, C.R.

Kietzmann, M. *see* Gerhards, H.
Kinabo, L.D.B. & Bogan, J.A. The pharmacology of isometamidium, 233
Kinabo, L.D.B. & Bogan, J.A. Pharmacokinetics and efficacy of triclabendazole in goats with induced fascioliasis, 254
King, J.N. & Gerring, E.L. Actions of the novel gastrointestinal prokinetic agent cisapride on equine bowel motility, 313
King, J.N. & Gerring, E.L. Biphasic disruption of fasting equine gut motility by dopamine — a preliminary study, 354
Klei, T.R. *see* Folz, S.D.
Klein, W.R. *see* Firth, E.C.
Knoppert, N.W., Nijmeijer, S.M., van Duin, C.T.M., Korstanje, C., van Gogh, H. & van Miert, A.S.J.P.A.M. Some pharmacokinetic data of aditoprim and trimethoprim in healthy and tick-borne fever infected dwarf goats, 135
Koritz, G.D. *see* Munsiff, I.J.
Korstanje, C. *see* Knoppert, N.W.
Korstanje, C. *see* Nouws, J.F.M.
Krekels, M. *see* De Coster, R.
Krista, L.M. *see* Short, C.R.

Laber, G. Investigation of pharmacokinetic parameters of tiamulin after intramuscular and subcutaneous administration in normal dogs, 45
Lagerweij, E. *see* Monbaliu, J.
Lándsér, F.J. *see* Gustin, P.
Leek B.F. *see* Stafford, K.J.
Lekeux, P. *see* Gustin, P.
Lindsey, T.O. *see* Zavy, M.T.
Livingston, A. *see* Nolan, A.
Lökken, P. *see* Mburu, D.N.
Lomba, F. *see* Gustin, P.
Lotz, W.S. *see* Brewer, B.D.

Mautino, M. *see* Page, C.D.
McKellar, Q.A. *see* Bogan, J.A.
McKiernan, B.C. *see* Munsiff, I.J.
Mbugua, S.W. *see* Mburu, D.N.
Mburu, D.N., Mbugua, S.W., Skoglund, L.A. & Lökken, P. Effects of paracetamol and acetylsalicylic acid on the post-operative course after experimental orthopaedic surgery in dogs, 163
Mechliński, W. *see* Page, C.D.
Meesen, B.P.W. *see* Nouws, J.F.M.
Meyer, J.R. *see* Page, C.D.
Michell, A.R. Diuretics and cardiovascular disease, 246
Michiels, M. *see* Monbaliu, J.
van Miert, A.S.J.P.A.M. *see* Dorrestein, G.M.
van Miert, A.S.J.P.A.M. *see* Knoppert, N.W.
van Miert, A.S.J.P.A.M. *see* Nouws, J.F.M.
Monbaliu, J., Degryse, A.-D., Ooms, L.A., Van Dijk, P., Lagerweij, E., Michiels, M., Woestenborghs, R. & Heykants, J. Hypno-

analgesia with R 8110/fentanyl in the dog: pharmacodynamic and pharmacokinetic interactions, 63
Montesissa, C. *see* Pompa, G.
Mourot, D. *see* Sanders, P.
Munsiff, I.J., Koritz, G.D., Mckiernan, B.C. & Neff-Davis, C.A. Plasma protein binding of theophylline in dogs, 112
Munsiff, I.J., McKiernan, B.C., Neff-Davis, C.A. & Koritz, G.D. Determination of the acute oral toxicity of theophylline in conscious dogs, 381

Nadeau, S. *see* DeRoth, L.
Neff-Davis, C.A. *see* Munsiff, I.J.
Nicholson, T., Osman, T.E.A. & Belkhiri, M. Inhibition of rumination in sheep by α-adrenoreceptor antagonists, 276
Nijmeijer, S.M. *see* Knoppert, N.W.
Noakes, D.E. *see* Al-Eknah, M.M.
Nolan, A., Waterman, A.E. & Livingston, A. The correlation of the thermal and mechanical antinociceptive activity of pethidine hydrochloride with plasma concentrations of the drug in sheep, 94
Nouws, J.F.M. *see* Firth, E.C.
Nouws, J.F.M., Meesen, B.P.W., van Gogh, H., Korstanje, C., van Miert, A.S.J.P.A.M., Vree, T.B. & Degen, M. The effect of testosterone and rutting on the metabolism and pharmacokinetics of sulfadimidine in goats, 145

Ogunbiyi, P.O., Black, W.D. & Eyre, P. Parainfluenza-3-virus-induced enhancement of histamine release from calf lung mast cells — effect of levamisole, 338
Ooms, L.A. *see* Monbaliu, J.
Osman, T.E.A. *see* Nicholson, T.
Ou, S.-P. *see* Short, C.R.

Page, C.D., Mautino, M., Meyer, J.R. & Mechlinski, W. Preliminary pharmacokinetics of ketoconazole in gopher tortoises (*Gopherus polyphemus*), 397
Pax, R.A. *see* Folz, S.D.
Pedersoli, W.M. *see* Short, C.R.
Pompa, G., Montesissa, C., Di Lauro, F.M., Fadini, L. & Capua, C. Zearanol metabolism by subcellular fractions from lamb liver, 197
Porter, D.J. *see* Pycock, J.F.
Pycock, J.F., Allen, W.E., Porter, D.J. & Boyd, E.H. The effect of various antibacterial preparations on the *in vitro* morphology and chemotactic response of equine neutrophils, 191

Riond, J.-L. & Riviere, J.E. Multiple intravenous dose pharmacokinetics and residue depletion profile of gentamicin in pigs, 210
Riviere, J.E., Frazier, D.L. & Tippitt, W.L. Pharmacokinetic estimation for therapeutic dosage regimens (PETDR) — a software program designed to determine intravenous drug dosage regimens for veterinary applications, 390
Riviere, J.E. *see* Riond, J.-L.
Roger, T. *see* Ruckebusch, Y.
Rowlands, D. ap T., Shepherd, M.T. & Collins, K.R. The oxfendazole pulse release bolus, 405
Ruckebusch, Y. & Roger, T. Prokinetic effects of cisapride, naloxone and parasympathetic stimulation at the equine ileo–caeco–colonic junction, 322

Sams, R.A. *see* Gerken, D.F.
Sanders, P., Guillot, P. & Mourot, D. Pharmacokinetics of a long-acting chloramphenicol formulation administered by intramuscular and subcutaneous routes in cattle, 183
Schmidt, S.L. *see* Hanna, R.M.
Schuler, C.J. *see* Hamlin, R.L.
Shepherd, M.T. *see* Rowlands, D. ap T.
Short, C.R., Barker, S.A., Hsieh, L.C., Ou, S.-P., Pedersoli, W.M., Krista, L.M. & Spano, J.S. The elimination of fenbendazole and its metabolites in the chicken, turkey and duck, 204
Short, C.R., Flory, W., Hsieh, L.C. & Barker, S.A. The oxidative mechanism of fenbendazole: a comparative study, 50
Simmons, R.D. *see* Sweeney, R.W.
Skoglund, L.A. *see* Mburu, D.N.
Soback, S. Pharmacokinetics of single doses of cefoxitin given by the intravenous and intramuscular routes to unweaned calves, 155
Soma, L.R. *see* Sweeney, R.W.
Spano, J.S. *see* Short, C.R.
Stafford, K.J. & Leek, B.F. Dopamine-sensitive receptors that evoke rumination and modify reticulo-ruminal activity in sheep, 171

Stokes, C.R. *see* Watson, E.D.
Sweeney, R.W., Beech, J., Simmons, R.D. & Soma, L.R. Pharmacokinetics of ticarcillin and clavulanic acid given in combination to adult horses by intravenous and intramuscular routes, 103
Sweeney, R.W., Divers, T.J., Benson, C. & Collatos, C. Pharmacokinetics of rifampin in calves and adult sheep, 413

Thomas, E.M. *see* Folz, S.D.
Thurmon, J.C. *see* Greene, S.A.
Tippitt, W.L. *see* Riviere, J.E.
Toutain, P.L., Campan, M., Galtier, P. & Alvinerie, M. Kinetic and insecticidal properties of ivermectin residues in the milk of dairy cows, 288
Tracy, C.H. *see* Yanni, J.M.

Van de Woestijne, K.P. *see* Gustin, P.
Van Dijk, P. *see* Monbaliu, J.
Vree, T.B. *see* Nouws, J.F.M.

Waterman, A.E. *see* Nolan, A.
Watson, E.D., Stokes, C.R. & Bourne, F.J. Concentrations of immunoreactive leukotriene B_4 in uterine lavage fluid from mares with experimentally induced and naturally occurring endometritis, 130
Weldy, P.L. *see* Hamlin, R.L.
Wensing, Th. *see* Firth, E.C.
Wilson, W.D. *see* Baggot, J.D.
Woestenborghs, R. *see* Monbaliu, J.
Wouters, W. *see* De Coster, R.

Yanni, J.M., Halliwell, R.E.W. & Tracy, C.H. Effect of AHR-5333 on flea antigen extract-induced skin reactions in flea-allergic dogs, 221

Zavy, M.T., Lindsey, T.O. & Hedde, R.D. Gizzard ulceration in chicks fed cysteamine alone or in combination with a histamine H_2-receptor antagonist, 362